



Date: February 25, 2009

HERITAGE HORIZONTAL SLIDER WINDOW

FEATURES	BENEFITS	IMAGES
<i>Advanced Design</i>		
<p>Frames:</p> <ol style="list-style-type: none">1) High performance sill2) Marine Glazed, removable sash3) Vent stiles are tubular & supported by double screws4) Both stiles have integrated pulls on lock & jamb stile5) Rollers are adjustable without removing the vent6) Meeting stile interlock is double weather stripped and concealed7) 1 3/8" setback integral nailing fin corners are closed with cold welding	<p>Drains water fast Stops penetration of bugs and air infiltration by self-closing weep holes</p> <p>Simple and cost effective replacement when needed</p> <p>Strong & Square vent Two pulls make it easier to operate</p> <p>Easy roller adjustment</p> <p>Better water, dust and air control</p> <p>Corners are strong and survive the process from the plant to the opening.</p>	 

Screens:

- 1) Extruded aluminum screen that is the same dry powder color as the window
- 2) Proprietary stainless steel spring loaded brass plungers

Screen removal and re-mount is very easy, interior/exterior, and can be done by anyone.



Security

- 1) Primary lock can slide

- Location can be adjusted for children to operate it.
- Allows vent opening for fresh air.



- 2) Built in die cast secondary lock

- Ergonomic handle on the primary lock



Performance

- 1) Double weather seals

- High degree of stopping water, air, dust and bug penetration

- 2) Very durable extruded screen

- Same color as window



<p>3) Double sealed insulated glass with steel spacers</p> <p>4) Thermal Break</p>	<ul style="list-style-type: none">• Provides an extra barrier against heat transfer. Similar benefit to a "warm edge spacer"• Non-pro rated 10 year seal warranty• C-30 rating• U value = 0.48 and SHGC = .18 (with LoE-366 glass and argon gas)• Double Color available for the frames	